

# JOINTING SAND COVERAGE RATES



JOINT WIDTH	COVERAGE			
	Beige	Grey	Silver	Black
1/8" (3 mm) joint (Porcelain tile)	550 sq. ft. (58 sq. m.)	505 sq. ft. (47 sq. m.)	550 sq. ft. (58 sq. m.)	476 sq. ft. (44 sq. m.)
3/16" (5 mm) joint (Concrete paver)	55 sq. ft. 5.1 sq. m.)	54 sq. ft. (5 sq. m.)	55 sq. ft. (5.1 sq. m.)	51 sq. ft. (4.7 sq. m.)
3/4" (19 mm) joint (Concrete paver)	15 sq. ft. (5.1 sq. m.)	14 sq. ft. (1.3 sq. m.)	15 sq. ft. (1.4 sq. m.)	13 sq. ft. (1.2 sq. m.)
1" (25 mm) joint (Concrete paver)	11.4 sq. ft. (1.1 sq. m.)	10.6 sq. ft. (1 sq. m.)	11.4 sq. ft. (1.1 sq. m.)	9.8 sq. ft. (0.9 sq. m.)

JOINT WIDTH	COVERAGE	
	Beige / Slate Grey / Ivory	Black Diamond
NARROW JOINTS 1/8" to 3/8" (3-9 mm)	65-85 sq. ft. (6-7.4 sq.m.)	58-76 sq. ft. (5.5-6.5 sq. m.)
WIDE JOINTS 3/4" to 1-1/4" (19-32 mm)	22-42 sq. ft. (2-3.9 sq. m.)	20-38 sq. ft. (1.8-3.5 sq. m.)



Per 50 lb (22.7 kg) bag (Paver 2-3/8" (6 cm) in height)



JOINT WIDTH	COVERAGE
	Beige / Slate Grey
NARROW JOINTS 1/8" to 3/8" (3-9 mm)	65-85 sq. ft. (6-7.4 sq.m.)
WIDE JOINTS 3/4" to 1-1/4" (19-32 mm)	22-42 sq. ft. (2-3.9 sq. m.)

Per 50 lb (22.7 kg) bag (Paver 2-3/8" (6 cm) in height)

Eurostone available in Slate Grey

JOINT WIDTH	COVERAGE
	Sahara Beige / Stone Grey
1" to 2" (2.5 to 5 cm)	20 – 30 sq. ft. (1.9 – 3 sq. m.)

Per 50 lb (22.7 kg) bag (Paver 2-3/8" (6 cm) in height)



Jointing material coverage may vary from these estimates based on the joint depth and spacer bar size. A mock-up installation is recommended to determine the quantity required. Reach out to your Alliance Gator rep for assistance.



# SEALER COVERAGE RATES

FORMAT	COVERAGE
1 gallon (3.78 L)	175 sq. ft. (16 sq. m.)
5 gallon (18.9 L)	875 sq. ft. (80 sq. m.)



FORMAT	COVERAGE
1 gallon (3.78 L)	175 sq. ft. (16 sq. m.)
5 gallon (18.9 L)	875 sq. ft. (80 sq. m.)

FORMAT	COVERAGE
1 gallon (3.78 L)	175 sq. ft. (16 sq. m.)
5 gallon (18.9 L)	875 sq. ft. (80 sq. m.)



SURFACE	COVERAGE	
	1 gallon (3.78 L)	5 gallon (18.9 L)
Granite	400-600 sq. ft. (37.1-55.7 m <sup>2</sup> )	2000-3000 sq. ft. (185.5-278.5 m <sup>2</sup> )
Travertine	500-700 sq. ft. (46.4-65 m <sup>2</sup> )	2500-3500 sq. ft. (232-325 m <sup>2</sup> )
Limestone	300-500 sq. ft. (27.9-46.4 m <sup>2</sup> )	1500-2500 sq. ft. (139.5-232 m <sup>2</sup> )
Sandstone	200-400 sq. ft. (18.6-37.1 m <sup>2</sup> )	1000-200 sq. ft. (93-185.5 m <sup>2</sup> )
Bluestone	200-400 sq. ft. (18.6-37.1 m <sup>2</sup> )	1000-200 sq. ft. (93-185.5 m <sup>2</sup> )

FORMAT	COVERAGE
1 gallon (3.78 L)	175 sq. ft. (16 sq. m.)
5 U.S. gal. (18.9 L)	875 sq. ft. (80 sq. m.)



MIXTURE	COVERAGE
1 U.S. gal. (3.78 L) diluted with 4 U.S. gal. (15.1 L) of water	200 sq. ft. (18 sq. m.)
5 U.S. gal. (18.9 L) diluted with 20 U.S. gal. (75.7 L) of water	1000 sq. ft. (93 sq. m.)
1 U.S. gallon (3.78 L) of diluted product cleans approximately 40 sq. ft. (3.7 sq. m.)	

Coverages are approximate and will vary based on stone porosity, joint width and other factors.



# XTREME EDGE COVERAGE



PRODUCT	COVERAGE
Xtreme Edge	15 li. ft. (4.5 li. m)
Gator Edge Flex / Rigid	8 li. ft. (2.44 m)
Gator Edge Mini	8 li. ft. (2.44 m)

Per 50 lb (22.7 kg) Xtreme Edge bag



# 15

LINER FEET  
(4.5 LI. M.)



ABOUT 2 STICKS OF GATOR EDGE

